

23

NEW COLLECTIONS
CERAMIC & PORCELAIN TILES

aparici

aparici

INDEX | ÍNDICE

CORTEN WALL	36
CRACKED	14
CRACKED 2CM	19
CRACKED WALL	20
FLAMED	2
FLAMED 2CM	7
FLAMED WALL	8
KINTSUGI	26
LINED	32
SLATE 2CM	50
SONORA 2CM	50
VITRO WALL	44


FLAMED



Wall: Flamed Ice Natural 99,55x99,55 cm Floor: Flamed Sapphire Natural 99,55x99,55 cm

FLAMED

Porcelain	Rectified	Moderate Variation	Double Firing
Porcelánico	Rectificado	Moderada Variación	Bicocción



Flamed Ice Natural
99,55x99,55 cm - 39,19"x39,19"

G-3268



Flamed Ice Natural
49,75x99,55 cm - 19,59"x39,19"

G-3180



Flamed Mix Nat.
Mosaico Cube
28,5x31,5 cm
11,23"x12,41"

G-2179



Flamed Ice Nat.
Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"

G-3558



Flamed Ice Natural
59,55x59,55 cm - 23,45"x23,45"

G-3180



Flamed Sapphire Natural
99,55x99,55 cm - 39,19"x39,19"

G-3268



Flamed Sapphire Natural
49,75x99,55 cm - 19,59"x39,19"

G-3180



Flamed Mix Nat.
Mosaico Cube
28,5x31,5 cm
11,22"x12,40"

G-2179



Flamed Sapphire
Nat. Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"

G-3558



Flamed Sapphire Natural
59,55x59,55 cm - 23,45"x23,45"

G-3180

UNE 41901 EX

CLASE 3

DIN 51130

R11 B

ANSI A 137.1-2012

DCOF>0.42

BS 7976

PTV > 36

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO

19%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

Series	Formato Thickness	Unit	Boxes/Pallet	m²/Pallet	m³/Box	Pieces/Box	Kg/Pallet	Kg/Box
Flamed 100X100	99,55x99,55x1 cm	m²	40	39,64	0,99	1	991,44	23,89
Flamed 50x100	49,75x99,55x1 cm	m²	27	40,12	1,49	3	940,75	34,10
Flamed 60x60	59,55x59,55x1 cm	m²	36	51,08	1,42	4	1163	31,74
Flamed Ro-50	7,3x49,75 cm	pz	24	15,7	0,654	18	373	14,57
Flamed Ro-60	7,3x59,55 cm	pz	24	18,8	0,81	18	450	17,80
Flamed Ro-100	7,3x99,55 cm	pz	16	17,44	1,09	15	411	24,23
Flamed Mix Nat. Mos. Cube	28,5x31,5 cm	pz	36	15,87	0,441	7	290	7,4
Flamed Mos. 5x5	29,75x29,75 cm	m²	36	22,28	0,619	7	489	12,97

Complementary Pieces | Steps

Piezas Complementarias | Peldaños



Flamed Natural Gradone 100
Flamed Natural Gradone Ángulo 100
49,75x99,55 cm - 19,59"x39,19"

G-2655
G-2723

Flamed Natural Gradone 60
Flamed Natural Gradone Ángulo 60
59,55x59,55 cm - 23,45"x23,45"

G-2559
G-2609

Flamed Natural Gradone
Flamed Natural Gradone Ángulo
99,55x99,55 cm - 39,19"x39,19"

G-2723
G-2779



Flamed Natural Peldaño 100
Flamed Natural Peldaño Ángulo 100
49,75x99,55 cm - 19,59"x39,19"

G-2337
G-2375

Flamed Natural Peldaño 60
Flamed Natural Peldaño Ángulo 60
59,55x59,55 cm - 23,45"x23,45"

G-2197
G-2287

Flamed Natural Peldaño
Flamed Natural Peldaño Ángulo
99,55x99,55 cm - 39,19"x39,19"

G-2541
G-2623



Flamed Natural Tipo L 100
Flamed Natural Tipo L Ángulo 100
44x99,55 cm - 17,32"x39,19"

G-2503
G-2585

Flamed Natural Tipo L 60
Flamed Natural Tipo L Ángulo 60
54x59,55 cm - 21,26"x23,45"

G-2375
G-2585

Flamed Natural Tipo L
Flamed Natural Tipo L Ángulo
94x99,55 cm - 37,01"x39,19"

G-2609
G-2815

Complementary Pieces | Skirting

Piezas Complementarias | Rodapiés



Flamed Natural Rodapié 50
7,3x49,75 cm - 2,87"x19,59"

G-2071

Flamed Natural Rodapié 60
7,3x59,55 cm - 2,87"x23,45"

G-2071

Flamed Natural Rodapié 100
7,3x99,55 cm - 2,87"x39,19"

G-2115

FLAMED

Porcelain	Rectified	Moderate Variation	Double Firing
Porcelánico	Rectificado	Moderada Variación	Bicocción



Flamed Green Natural
99,55x99,55 cm - 39,19"x39,19"



G-3268



Flamed Green Natural
49,75x99,55 cm - 19,59"x39,19"



G-3180



Flamed Mix Nat.
Mosaico Cube
28,5x31,5 cm
11,22"x12,40"



G-2179



Flamed Green Nat.
Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



G-3558



Flamed Green Natural
59,55x59,55 cm - 23,45"x23,45"



G-3180

UNE 41901 EX
CLASE 3
DIN 51130
R11 B
ANSI A 137.1-2012
DCOF>0.42
BS 7976
PTV > 36
CONTENT OF RECYCLED MATERIAL CONTENIDO DE MATERIAL RECICLADO
19%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m³/Box	Pieces/Box	Kg/Pallet	Kg/Box
Flamed 100X100	99,55x99,55x1 cm	m²	40	39,64	0,99	1	991,44	23,89
Flamed 50x100	49,75x99,55x1 cm	m²	27	40,12	1,49	3	940,75	34,10
Flamed 60x60	59,55x59,55x1 cm	m²	36	51,08	1,42	4	1163	31,74
Flamed Ro-50	7,3x49,75 cm	pz	24	15,7	0,654	18	373	14,57
Flamed Ro-60	7,3x59,55 cm	pz	24	18,8	0,81	18	450	17,80
Flamed Ro-100	7,3x99,55 cm	pz	16	17,44	1,09	15	411	24,23
Flamed Mix Nat. Mos. Cube	28,5x31,5 cm	pz	36	15,87	0,441	7	290	7,4
Flamed Mos. 5x5	29,75x29,75 cm	m²	36	22,28	0,619	7	489	12,97

OUTDOOR 2CM

Porcelain	Rectified	Moderate Variation	Thickness 2CM
Porcelánico	Rectificado	Moderada Variación	Espesor 2CM



Flamed Ice Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



G-3268



Flamed Sapphire Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



G-3268



Flamed Green Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



G-3268

UNE 41901 EX
CLASE 3
DIN 51130
R11 C
ANSI A 137.1-2012
DCOF>0.42
BS 7976
PTV > 36
CONTENT OF RECYCLED MATERIAL CONTENIDO DE MATERIAL RECICLADO
19%

*Check batch values before placing an order.
Consult page 52.
*Confirmar valores del lote antes de realizar el pedido.
Consultar página 52.

Complementary Pieces Steps				Complementary Pieces Grid			
Piezas Complementarias Peldaños				Piezas Complementarias Rejilla			
	Flamed Outdoor 2 CM Tipo L 100	G-2069			Flamed Outdoor 2CM Grid	G-2375	
	Flamed Outdoor 2 CM Tipo L Ángulo	G-2815			24,75x99,55 cm - 9,74"x39,19"		
	44x99,55 cm - 17,32"x39,19"						
					Flamed Outdoor 2CM Grid	G-2171	
					24,75x24,75cm - 9,74"x9,74"		

FLAMED WALL



Wall: Flamed Green_Green Vega_Ornament 44,63x119,3 cm Floor: Flamed Green Natural 99,55x99,55 cm

FLAMED WALL



Wall: Flamed Ice Vega 44,63x119,3 cm Floor: Flamed Ice Natural_Outdoor 2cm 49,75x99,55 cm - Lined Inspiration 25x29 cm

FLAMED WALL

- White Body
- Rectified
- Moderate Variation
- Double Firing
- 0,78 cm Thickness
- Pasta Blanca
- Rectificado
- Moderada Variación
- Bicocción
- 0,78 cm Espesor



Flamed Ice
44,63x119,3 cm - 17,57"x46,97"

G-3180



Flamed Ice
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756



Flamed Ice Vega
44,63x119,3 cm - 17,57"x46,97"

G-3208




Flamed Ornament
44,63x119,3 cm - 17,57"x46,97"

G-3298

Flamed Ornament consist of 12 different aleatory patterns.
Flamed Ornament se compone de 12 decoraciones diferentes aleatorias.

- Altair Gold - Silver Lista
1x119,3 cm - 0,39"x46,97"
- G-2131
- Strato Plata Mate Lista
1x119,3 cm - 0,39"x46,97"
- G-2087



Flamed Corner 45
1,5x44,63 cm
0,59"x17,57"


G-2115

Flamed Corner is available in all colours of collection.
Flamed Corner está disponible en todos los colores de la colección.



Flamed Sapphire
44,63x119,3 cm - 17,57"x46,97"

G-3180



Flamed Sapphire
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756




Flamed Sapphire Vega
44,63x119,3 cm - 17,57"x46,97"

G-3208



Flamed Green
44,63x119,3 cm - 17,57"x46,97"

G-3180



Flamed Green
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756



Flamed Green Vega
44,63x119,3 cm - 17,57"x46,97"

G-3208

Matching Floor Tiles

Pavimento Coordinado



Flamed Ice/Sapphire/Green Nat.
99,55x99,55 cm - 39,19"x39,19"
49,75x99,55 cm - 19,59"x39,19"
59,55x59,55 cm - 23,45"x23,45"

G-3268
G-3180
G-3180

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO
49%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Flamed	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800,02	31,48
Flamed Vega	44,63x119,3x0,78 cm	m²	24	38,33	1,597	3	650	25,23
Flamed Ornament	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800,02	31,48
Flamed Mos. 2,5x2,5	29,75x29,75x0,78 cm	m²	36	28,69	0,797	9	361	10
Flamed Corner	1,5x44,63 cm	pz	48	3,84	0,08	12	110	2,006
Altair Gold/ Silver Lista	1x119,3 cm	pz	15	5,37	0,358	30	97	5,50
Strato Plate Lista	1x119,3 cm	pz	36	44,67	1,241	104	455	12

CRACKED



Wall: Cracked White 49,75x99,55 cm Floor: Cracked Graphite Natural 99,55x99,55 cm

CRACKED

Porcelain	Rectified	Slight Variation	Double Firing
Porcelánico	Rectificado	Ligera Variación	Bicocción



Cracked White Natural
99,55x99,55 cm - 39,19"x39,19"

G-3268



Cracked White Natural
49,75x99,55 cm - 19,59"x39,19"

G-3180



Cracked White Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Cracked White Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Cracked White Natural
59,55x59,55 cm - 23,45"x23,45"

G-3180



Cracked Graphite Natural
99,55x99,55 cm - 39,19"x39,19"

G-3268




Cracked Graphite Natural
49,75x99,55 cm - 19,59"x39,19"

G-3180



Cracked Graphite Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Cracked Graphite Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Cracked Graphite Natural
59,55x59,55 cm - 23,45"x23,45"

G-3180

UNE 41901 EX

CLASE 3

DIN 51130

R11 B

ANSI A 137.1-2012

DCOF>0.42

BS 7976

PTV > 36

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO

19%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

Complementary Pieces | Steps

Piezas Complementarias | Peldaños



Cracked Natural Gradone 100 G-2655
Cracked Natural Gradone Ángulo 100 G-2723
49,75x99,55 cm - 19,59"x39,19"

Cracked Natural Gradone 60 G-2559
Cracked Natural Gradone Ángulo 60 G-2609
59,55x59,55 cm - 23,45"x23,45"

Cracked Natural Gradone G-2723
Cracked Natural Gradone Ángulo G-2779
99,55x99,55 cm - 39,19"x39,19"



Cracked Natural Peldaño 100 G-2337
Cracked Natural Peldaño Ángulo 100 G-2375
49,75x99,55 cm - 19,59"x39,19"

Cracked Natural Peldaño 60 G-2197
Cracked Natural Peldaño Ángulo 60 G-2287
59,55x59,55 cm - 23,45"x23,45"

Cracked Natural Peldaño G-2541
Cracked Natural Peldaño Ángulo G-2623
99,55x99,55 cm - 39,19"x39,19"



Cracked Natural Tipo L 100 G-2503
Cracked Natural Tipo L Ángulo 100 G-2585
44x99,55 cm - 17,32"x39,19"

Cracked Natural Tipo L 60 G-2375
Cracked Natural Tipo L Ángulo 60 G-2585
54x59,55 cm - 21,26"x23,45"

Cracked Natural Tipo L G-2609
Cracked Natural Tipo L Ángulo G-2815
94x99,55 cm - 37,01"x39,19"

Complementary Pieces | Skirting

Piezas Complementarias | Rodapiés



Cracked Natural Rodapié 50 G-2071
7,3x49,75 cm - 2,87"x19,59"

Cracked Natural Rodapié 60 G-2071
7,3x59,55 cm - 2,87"x23,45"

Cracked Natural Rodapié 100 G-2115
7,3x99,55 cm - 2,87"x39,19"

CRACKED

Porcelain	Rectified	Slight Variation	Double Firing
Porcelánico	Rectificado	Ligera Variación	Bicocción




Cracked Grey Natural
99,55x99,55 cm - 39,19"x39,19"



Cracked Grey Natural
49,75x99,55 cm - 19,59"x39,19"



Cracked Grey Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Cracked Grey Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Cracked Grey Natural
59,55x59,55 cm - 23,45"x23,45"



UNE 41901 EX
CLASE 3
DIN 51130
R11 B
ANSI A 137.1-2012
DCOF>0.42
BS 7976
PTV > 36
CONTENT OF RECYCLED MATERIAL CONTENIDO DE MATERIAL RECICLADO
19%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

Complementary Pieces | Skirting

Piezas Complementarias Rodapiés		
	Cracked Natural Rodapié 50 7,3x49,75 cm - 2,87"x19,59"	G-2071
	Cracked Natural Rodapié 60 7,3x59,55 cm - 2,87"x23,45"	G-2071
	Cracked Natural Rodapié 100 7,3x99,55 cm - 2,87"x39,19"	G-2115

Complementary Pieces | Steps

Piezas Complementarias Peldaños		
	Cracked Natural Gradone 100 Cracked Natural Gradone Ángulo 100 49,75x99,55 cm - 19,59"x39,19"	G-2655 G-2723
	Cracked Natural Gradone 60 Cracked Natural Gradone Ángulo 60 59,55x59,55 cm - 23,45"x23,45"	G-2559 G-2609
	Cracked Natural Gradone Cracked Natural Gradone Ángulo 99,55x99,55 cm - 39,19"x39,19"	G-2723 G-2779
	Cracked Natural Peldaño 100 Cracked Natural Peldaño Ángulo 100 49,75x99,55 cm - 19,59"x39,19"	G-2337 G-2375
	Cracked Natural Peldaño 60 Cracked Natural Peldaño Ángulo 60 59,55x59,55 cm - 23,45"x23,45"	G-2197 G-2287
	Cracked Natural Peldaño Cracked Natural Peldaño Ángulo 99,55x99,55 cm - 39,19"x39,19"	G-2541 G-2623
	Cracked Natural Tipo L 100 Cracked Natural Tipo L Ángulo 100 44x99,55 cm - 17,32"x39,19"	G-2503 G-2585
	Cracked Natural Tipo L 60 Cracked Natural Tipo L Ángulo 60 54x59,55 cm - 21,26"x23,45"	G-2375 G-2585
	Cracked Natural Tipo L Cracked Natural Tipo L Ángulo 94x99,55 cm - 37,01"x39,19"	G-2609 G-2815

OUTDOOR 2CM

Porcelain	Rectified	Slight Variation	Thickness 2CM
Porcelánico	Rectificado	Ligera Variación	Espesor 2CM



Cracked White Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Cracked Grey Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Cracked Graphite Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



UNE 41901 EX
CLASE 3
DIN 51130
R11 C
ANSI A 137.1-2012
DCOF>0.42
BS 7976
PTV > 36
CONTENT OF RECYCLED MATERIAL CONTENIDO DE MATERIAL RECICLADO
19%

*Check batch values before placing an order.
Consult page 52.
*Confirmar valores del lote antes de realizar el pedido.
Consultar página 52.

Complementary Pieces | Steps

Piezas Complementarias Peldaños		
	Cracked Outdoor 2 CM Tipo L 100 Cracked Outdoor 2 CM Tipo L Ángulo 44x99,55 cm - 17,32"x39,19"	G-2609 G-2815

Complementary Pieces | Grid


Piezas Complementarias Rejilla		
	Cracked Outdoor 2CM Grid 24,75x99,55 cm - 9,74"x39,19"	G-2375
	Cracked Outdoor 2CM Grid 24,75x24,75cm - 9,74"x9,74"	G-2171

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m³/Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked 2 CM	49,75x99,55x2 cm	m²	36	17,82	0,50	1	825,03	22,36

CRACKED WALL



CRACKED WALL



CRACKED WALL


- White Body
- Rectified
- Slight Variation
- High Variation
- Cracked Ornament
- Double Firing
- 0,78 cm Thickness
- Pasta Blanca
- Rectificado
- Ligera Variación
- Contraste de Tonalidad
- Bicocción
- 0,78 cm Espesor



Cracked White
44,63x119,3 cm - 17,57"x46,97"



G-3180



Cracked White
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Cracked White Origami
44,63x119,3 cm - 17,57"x46,97"



G-3208




Cracked Ornament
44,63x119,3 cm - 17,57"x46,97"



G-3298

Cracked Ornament consist of 8 different aleatory patterns.
Cracked Ornament se compone de 8 decoraciones diferentes aleatorias.

- Altair Gold - Silver Lista
- 1x119,3 cm - 0,39"x46,97"
- G-2131
- Strato Plata Mate Lista
- 1x119,3 cm - 0,39"x46,97"
- G-2087



Cracked Corner 45
1,5x44,63 cm
0,59"x17,57"



G-2115


Cracked Corner is available in all colours of collection.
Cracked Corner está disponible en todos los colores de la colección.



Cracked Grey
44,63x119,3 cm - 17,57"x46,97"



G-3180



Cracked Grey
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Cracked Grey Origami
44,63x119,3 cm - 17,57"x46,97"




G-3208



Cracked Graphite
44,63x119,3 cm - 17,57"x46,97"



G-3180



Cracked Graphite
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Cracked Graphite Origami
44,63x119,3 cm - 17,57"x46,97"



G-3208

Matching Floor Tiles

Pavimento Coordinado



Cracked White/Grey/Graphite Nat.
99,55x99,55 cm - 39,19"x39,19"
49,75x99,55 cm - 19,59"x39,19"
59,55x59,55 cm - 23,45"x23,45"



G-3268

G-3180

G-3180

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO
49%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800,02	31,48
Cracked Origami	44,63x119,3x0,78 cm	m²	24	38,33	1,60	3	680,02	25,23
Cracked Ornament	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800	31,48
Cracked Mos. 2,5x2,5	29,75x29,75x0,78 cm	m²	36	28,69	0,797	9	361	10
Cracked Corner	1,5x44,63 cm	pz	48	3,84	0,08	12	110	2,006
Altair Gold/ Silver Lista	1x119,3 cm	pz	15	5,37	0,358	30	97	5,50
Strato Plata Lista	1x119,3 cm	pz	36	44,67	1,241	104	455	12



KINTSUGI



Wall: Kintsugi Green Aichi_Green Basi 30,5x30,5 cm Floor: Kintsugi White Aichi 30,5x30,5 cm

KINTSUGI

Porcelain Straight Edge Slight Variation
Porcelánico Ángulo Recto Ligera Variación



Kintsugi White Aichi
30,5x30,5 cm
12,01"x12,01"




Kintsugi White Aichi
Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



Kintsugi White Basi
30,5x30,5 cm
12,01"x12,01"



Kintsugi Green Aichi
30,5x30,5 cm
12,01"x12,01"



Kintsugi Green Aichi
Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



Kintsugi Green Basi
30,5x30,5 cm
12,01"x12,01"



Kintsugi Blue Aichi
30,5x30,5 cm
12,01"x12,01"



Kintsugi Blue Aichi
Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



Kintsugi Blue Basi
30,5x30,5 cm
12,01"x12,01"



Kintsugi Toffee Basi
30,5x30,5 cm
12,01"x12,01"



Kintsugi Jade Basi
30,5x30,5 cm
12,01"x12,01"



Kintsugi Toffee Basi & Jade Basi consists of 1 pattern.
Kintsugi Toffee Basi & Jade Basi se compone de 1 decoracion.
Kintsugi Aichi & Basi consists of 24 different aleatory patterns.
Kintsugi Aichi & Basi se compone de 24 decoraciones diferentes aleatorias.



Kintsugi Toffee Basi 30,5x30,5 cm

UNE 41901 EX
CLASE 3
DIN 51130
R11 B
ANSI A 137.1-2012
DCOF>0.42
BS 7976
PTV > 36
CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO
19%

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Kintsugi Aichi	30,5x30,5x1 cm	m²	44	49,10	1,12	12	1140,43	25,58
Kintsugi Basi	30,5x30,5 cm	m²	44	49,10	1,12	12	1140,43	25,58
Kintsugi Aichi Mosaico 5x5	29,75x29,75 cm	m²	36	22,28	0,619	7	489	12,97

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52



Wall & Floor: Kintsugi Blue Aichi 30,5x30,5 cm

LINED



Wall: Lined Ribbon Hexagon 25x29 cm Floor: Lined Ribbon_Chaplin White Hexagon 25x29 cm



Wall: Vitro White Urvanity 44,63x119,3 cm Floor: Lined Spring Hexagon_Chaplin White Hexagon 25x29 cm

LINED

Porcelain


Straight Edge

Moderate Variation

Porcelánico

Ángulo Recto


Moderada Variación




Lined Inspiration Hexagon
25x29 cm - 9,84"x11,42"



Lined Ribbon Hexagon
25x29 cm - 9,84"x11,42"



Lined Spring Hexagon
25x29 cm - 9,84"x11,42"



Chaplin White Hexagon
25x29 cm - 9,84"x11,42"



Lined Inspiration & Spring consists of 5 different aleatory patterns.
Lined Inspiration & Spring se compone de 5 decoraciones diferentes aleatorias.
Lined Ribbon consists of 10 different aleatory patterns.
Lined Ribbon se compone de 10 decoraciones diferentes aleatorias.

UNE 41901 EX

CLASE 3
CLASE 2 Chaplin White

DIN 51130

R11 B
R10 Chaplin White

ANSI A 137.1-2012

DCOF>0.42

BS 7976

PTV > 36
PTV> 24

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO

19%
40% Chaplin White



Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Lined Hexagon	25x29x1cm	m²	48	44,88	0,94	17	1059,82	21,77
Chaplin White Hexagon	25x29x1cm	m²	48	44,88	0,94	17	1068	21,77

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52



Floor: Lined Inspiration Hexagon 25x29 cm - Cracked White Natural 99,55x99,55 cm

CORTEN WALL



Wall: Corten Oxidum_Oxidum Swell 44,63x119,3 cm Floor: Vienna Belvedere Natural 59,2x59,2 cm

CORTEN WALL



Wall: Corten Sapphire_Ice Swell 44,63x119,3 cm - Strato Plata Mate Lista 1x119,3 cm

Floor: Corten Sapphire Natural_Cracked White Natural 99,55x99,55 cm

CORTEN WALL

- White Body
- Rectified
- Moderate Variation
- High Variation Corten Sapphire
- Double Firing
- 0,78 cm Thickness
- Pasta Blanca
- Rectificado
- Moderada Variación
- Contraste de Tonalidad Corten Sapphire
- Bicocción
- 0,78 cm Espesor



Corten Oxidum
44,63x119,3 cm - 17,57"x46,97"

G-3180



Corten Oxidum Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756



Corten Oxidum Swell
44,63x119,3 cm - 17,57"x46,97"

G-3208



Altair Gold - Silver Lista
1x119,3 cm - 0,39"x46,97"

G-2131




Strato Plata Mate Lista
1x119,3 cm - 0,39"x46,97"

G-2087



Corten Iron
44,63x119,3 cm - 17,57"x46,97"

G-3180



Corten Iron Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756



Corten Iron Swell
44,63x119,3 cm - 17,57"x46,97"

G-3208



Corten Sapphire
44,63x119,3 cm - 17,57"x46,97"

G-3180



Corten Sapphire Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756



Corten Sapphire Swell
44,63x119,3 cm - 17,57"x46,97"

G-3208

Matching Floor Tiles

Pavimento Coordinado



Corten Oxidum/Iron/Sapphire Nat.
99,55x99,55 cm - 39,19"x39,19"
49,75x99,55 cm - 19,59"x39,19"
59,55x59,55 cm - 23,45"x23,45"


G-3284
G-3186
G-3162

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO
49%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52


CORTEN WALL

White Body	Rectified	Slight Variation	High Variation Corten News Ornament	Double Firing	0,78 cm Thickness
Pasta Blanca	Rectificado	Ligera Variación	Contraste de Tonalidad Corten News Ornament	Bicocción	0,78 cm Espesor



Corten Ice
44,63x119,3 cm - 17,57"x46,97"

G-3180



Corten Ice
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756



Corten Ice Swell
44,63x119,3 cm - 17,57"x46,97"

G-3208



Corten News Ornament
44,63x119,3 cm - 17,57"x46,97"

G-3298

Corten News Ornament consists of 12 different aleatory patterns.
Corten News Ornament se compone de 12 decoraciones diferentes aleatorias.



*Side View Corner/
Perfil Corner

Corten Corner 45
1,5x44,63 cm
0,59"x17,57"

G-2115

Corten Corner is available in all colours of collection.
Corten Corner está disponible en todos los colores de la colección.



Wall: Corten Ice_Ice Swell_News Ornament 44,63x119,3 cm Floor: Corten Graphite Natural 59,55x59,55 cm_Corten Graphite Nat. Moscaico 5x5 29,75x29,75 cm

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO
49%

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

Series	Format ¹ Thickness	Unit	Boxes/Pallet	m ² /Pallet	m ² /Box	Pieces/Box	Kg/Pallet	Kg/Box
Corten	44,63x119,3x0,78 cm	m ²	24	51,12	2,13	4	800	31,48
Corten Swell	44,63x119,3x0,78 cm	m ²	24	38,33	1,597	3	650	25,23
Corten News Ornament	44,63x119,3x0,78 cm	m ²	24	51,12	2,13	4	800	31,48
Corten Mos. 2,5x2,5	29,75x29,75x0,78 cm	m ²	36	28,692	0,797	9	374	9,999
Corten Corner	1,5x44,63 cm	pz	48	3,84	0,08	12	110	2,006

VITRO WALL



Wall: Vitro White_White Urvanity 44,63x119,3 cm

Floor: Metallic White Natural 59,55x59,55 cm - Metallic White Nat. Mosaico 5x5 29,75x29,75 cm

VITRO WALL



VITRO WALL

- White Body
- Rectified
- Slight Variation Vitro white
- Moderate Variatio
- Double Firing
- 0,78 cm Thickness
- Pasta Blanca
- Rectificado
- Ligera Variación Vitro White
- Moderada Variación
- Bicocción
- 0,78 cm Espesor




Vitro White Urvanity
44,63x119,3 cm - 17,57"x46,97"

G-3208




Vitro Grey Urvanity
44,63x119,3 cm - 17,57"x46,97"

G-3208




Vitro Blue Urvanity
44,63x119,3 cm - 17,57"x46,97"

G-3208



Vitro Green Urvanity
44,63x119,3 cm - 17,57"x46,97"

G-3208



Vitro White
44,63x119,3 cm - 17,57"x46,97"

G-3180

Vitro Urvanity consists of 16 different aleatory patterns.
Vitro Urvanity se compone de 16 decoraciones diferentes aleatorias.



Wall: Vitro White_White Urvanity 44,63x119,3 cm

Series	Format & Thickness	Unit	CONTENT OF RECYCLED MATERIAL						
			Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box	CONTENIDO DE MATERIAL RECICLADO
Vitro White	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800	31,48	49%
Vitro Urvanity	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800	31,48	

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52

OUTDOOR 2CM

Porcelain

Rectified

Moderate Variation

High Variation

Slate Multicolor

Thickness 2CM

Porcelánico

Rectificado

Moderada Variación

Contraste de Tonalidad

Slate Multicolor

Espesor 2CM



Sonora White Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Sonora Blend Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Sonora Grey Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Slate Multicolor Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Slate Moss Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Slate Anthracite Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



UNE 41901 EX

CLASE 3

DIN 51130

R11 B+C

ANSI A 137.1-2012

DCOF>0.42

BS 7976

PTV > 36

CONTENT OF RECYCLED MATERIAL
CONTENIDO DE MATERIAL RECICLADO

19%

Complementary Pieces | Steps

Sonora & Slate Outdoor 2 CM Tipo L 100

Sonora & Slate Outdoor 2 CM Tipo L Ángulo

44x99,55 cm - 17,32"x39,19"

G-2609

G-2815

Complementary Pieces | Grid

Sonora & Slate Outdoor 2CM Grid

24,75x99,55 cm - 9,74"x39,19"

G-2375

Sonora & Slate Outdoor 2CM Grid

24,75x24,75cm - 9,74"x9,74"

G-2171

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Sonora Outdoor 2CM	49,75x99,55x2 cm	m²	36	17,82	0,495	1	825,03	22,36
Slate Outdoor 2CM	49,75x99,55x2 cm	m²	36	17,82	0,495	1	825,03	22,36

Check batch values before placing an order. More information pg. 52
Confirmar valores del lote antes de realizar el pedido. Para más información pg. 52



Floor: Slate Anthracite Outdoor 2CM 49,75x99,55 cm



SYMBOLS / SÍMBOLOS

COMPLEMENTS / COMPLEMENTOS


MOSAIC
MOSAICO


PRECISION
PRECISIÓN


SPECIAL PRODUCT
PRODUCTO ESPECIAL


WATER JET
CORTE DE AGUA

FINISHES / ACABADOS


NATURAL
NATURAL


LAPPATO
LAPPATO


POLISHED
PULIDO


SATIN
SATINADO


STRUCTURED
ESTRUCTURADO


SHINY
BRILLO


MATT
MATE


METAL
METALIZADO


RELIEF
RELIEVE


NON SLIP
ANTIDESLIZANTE


POLYVALENT
POLIVALENTE

ECOLOGY

up to 69% recycled content

QUALITY

double fired ceramic and high technical porcelain

INTERNATIONAL

141 countries

SERVICE

permanent stock. delivery within 0,5 days

INNOVATION

and design

PRODUCTION

14.500.000 m²/year

TECHNOLOGY

state-of-the-art production facilities

FLEXIBILITY

2-6 weeks lead time for special orders

The results above are reference values that may vary depending on the product and batch. Before confirming an order, please consult the technical information of the specific product through our sales network.

*All technical characteristics contained in this catalogue are approximate values which reflect the generic characteristics by product type. In any case, this data may vary slightly depending on the model and specific manufacturing batch of each product. If (due to the needs of the project/order) it is necessary to ensure a specific value for any specific characteristic of a given product, or it is necessary to obtain a certificate endorsed by an accredited laboratory, please ask your sales contact person before placing an order.

Los resultados descritos son valores de referencia que pueden variar dependiendo del producto y lote. Antes de la confirmación de un pedido, consulte la información técnica del producto específico a través de nuestra red comercial.

*"Los valores de las características técnicas contenidos en este catálogo son valores de referencia que reflejan las características genéricas por tipología de producto, aunque éstos pueden variar ligeramente dependiendo del modelo y lote de fabricación específicos de cada producto. Si por las necesidades del proyecto/pedido fuera necesario asegurar un valor específico de alguna característica concreta de un producto determinado, o fuera necesario obtener un certificado avalado por un laboratorio acreditado, será necesario consultar previamente con el departamento comercial antes de realizar un pedido."

Cerámicas Aparici SA does not take any responsibility of printing mistakes in any data of this catalogue. Check and confirm the data with CERÁMICAS APARICI S.A. before any order. All technical characteristics and specifications are based on the available information at the printing moment, they can suffer alterations without warning according to changes in markets, in technological innovations or any other factor. CERÁMICAS APARICI S.A. has the right to modify them without any responsibility or any commitment.

Cerámicas Aparici SA no asume ninguna responsabilidad por errores de impresión en cualquier dato reflejado en el presente catálogo. Por tal motivo, para la realización de cualquier pedido se solicita que sean confirmados a Cerámicas Aparici SA o a su distribuidor. Todos los caracteres técnicos están basados en la información disponible al momento de la impresión del presente catálogo y podrán cambiar o variar sin previo aviso de acuerdo a las circunstancias del mercado y/o a las innovaciones tecnológicas y/o a cualquier factor. CERÁMICAS APARICI S.A., se reserva el derecho a modificarlos en cualquier momento sin incurrir en ninguna obligación, ni responsabilidad.

aparici

Carretera Castellón - Alcora km.12 - 12110 Alcora (Castellón - Spain)
T. +34 964 701 010 E. ceramicas@aparici.com W. www.aparici.com